

Phone: 08 8832 2113

Email: sales@maitlandmarine.com.au

Website: https://www.maitlandmarine.com.au/

1-3 Elizabeth Street Maitland SA 5573



BF135 (135HP OUTBOARD)

POA

Specifications

Boat Details

Price POA Boat Brand Honda Model BF135 Length 0.00

Year 2024 Category Boat Engines and Outboards

Hull Style Hull Type
Power Type Stock Number

ConditionNewStateSouth AustraliaSuburbMAITLANDEngine MakeHonda Marine

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 08 8832 2113

Email: sales@maitlandmarine.com.au

Website: https://www.maitlandmarine.com.au/

1-3 Elizabeth Street Maitland SA 5573

Description

CUTTING-EDGE ADVANTAGES

Honda's BF135 delivers seamless performance and optimum power for a smooth and enjoyable boating experience. Based on the same reliable engine that powers the globally-popular Honda Accord, it has been manufactured with the world's most innovative, efficient and reliable technology.

The BF135 offers power-to-weight ratios to rival two-stroke engines in the same class. Designed for use in all environments, this engine features a unique set of Honda-exclusive technologies to provide increased power across the entire rev range.

Low fuel consumption, exceptional reliability and reduced periodical maintenance requirements all combine to minimise the overall cost of ownership.

COMBAT THE ELEMENTS

The BF135 features a patented, 'double sealed' multi-layered paint process. Sacrificial anodes and stainless steel technology, along with waterproof connectors, all enhance corrosion protection.

The starter motor is also inverted into a sealed chamber, which protects the starter bendix drive from the elements.

And the Steering Arm, Tilt Tube and all Shafts are made of stainless steel. That means durability with long-term corrosion resistance!

DURABLE AND LONG-LASTING

A crankshaft-driven, automotive-style trichoid oil pump ensures the long-lasting durability of critical engine components.

The Fresh Water Flushpoint flushes debris and saltwater out of the engine, extending the life of the outboard.

Throw in a built-in pilot tube in the gear case to eliminate the need to drill holes in your boat for installation, and you're in for trouble-free boating!

A FEW OTHER FEATURES

Honda's proven 'on demand', 51amp belt-driven alternator reduces heat buildup and provides superior battery charging capability. 30amp at 1000RPM and 40amp+ above 2000RPM.

As well as this, the Honda BF135 has three separate cooling systems keep the cylinder head cooler for more long-term durability.

And a Multi-Port Programmed Fuel Injection (PGM-FI) system delivers the precise amount of air/fuel to each cylinder. The result is quick starts, instant throttle response and low fuel consumption.

Disclaimer



Phone: 08 8832 2113

Email: sales@maitlandmarine.com.au

Website: https://www.maitlandmarine.com.au/

1-3 Elizabeth Street Maitland SA 5573

ENGINE

TYPE \(\pi\pi\)4-stroke DOHC inline 4-cylinder / 16-valves

BORE & STROKE [[[]]87 x 99 mm

FULL THROTTLE RPM RANGE □□□5,000-6,000 RPM

RATED POWER IIII135HP @ 5,500 RPM

COOLING SYSTEM □□□Water cooled

INDUCTION □□□Programmed fuel injection

IGNITION SYSTEM ∏∏∏Full transistorised battery ignition

STARTING SYSTEM □□□Electric

EXHAUST [[[[]]]Through prop

ALTERNATOR □□□40-Amp

POWER TRIM & TILT Destandard

TRIM RANGE DD-4° to +16°

TILT RANGE □□□72°

SAFETY FEATURES

EMERGENCY STOP SWITCH □□□Standard

OIL PRESSURE ALERT ∏∏∏Standard

TEMPERATURE ALERT □□□Standard

REV-LIMITER □□□Standard

SPEEDOMETER PICKUP [[]]Standard

DRIVE

GEAR RATIO ∏∏2.14:1

GEAR SHIFT DDF-N-R

PROPELLER ∏∏∏Optional

DIMENSIONS

OVERALL LENGTH [][]845mm

OVERALL WIDTH [][]580mm

OVERALL HEIGHT (L-TYPE) [[] 1,665mm

OVERALL HEIGHT (X-TYPE) [[][1,790mm]

OVERALL HEIGHT (XXL-TYPE) [[[]]n/a

TRANSOM HEIGHT (L-TYPE) [[][]508mm

TRANSOM HEIGHT (X-TYPE) ∏∏∏635mm

TRANSOM HEIGHT (XXL-TYPE) [[][]n/a

DRY WEIGHTS (L-TYPE) ∏∏∏217kg

DRY WEIGHTS (X-TYPE) ∏∏∏220kg

Engine Details

Engine Make Honda Marine
Horse Power 135

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.