

Email: sales@maitlandmarine.com.au

Website: https://www.maitlandmarine.com.au/

1-3 Elizabeth Street Maitland SA 5573



BF15 (15HP OUTBOARD)

POA

Specifications

Boat Details

Price POA Boat Brand Honda Model BF15 (15HP OUTBOARD) Length 0.00

Year 2021 Category Boat Engines and Outboards

Hull Style Hull Type
Power Type Stock Number

ConditionNewStateSouth AustraliaSuburbMAITLANDEngine MakeHonda Marine

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@maitlandmarine.com.au

Website: https://www.maitlandmarine.com.au/

1-3 Elizabeth Street Maitland SA 5573

Description

OUTSTANDING PERFORMANCE

Honda's BF15 delivers unrivalled innovation to the portable range. Ideally suited to 3-4.5 metre aluminium and inflatable boats, it provides responsive, smooth and reliable power in a lightweight design.

Honda's Advanced Four-Stroke Technology results in efficient, clean and quiet operation, making your time on the water more enjoyable than ever before.

The world-renowned quality of a Honda outboard combines proven reliability and superior fuel efficiency, with no oil mixing, also resulting in a healthier experience for you and the environment.

A BORN LEADER

The Honda BF15 is sure to turn heads with the largest alternator in its class! 12amps at just 3000 RPM maintains the battery charge and keeps electronics going, even at trolling speeds.

At 350cc, the 15HP large displacement coupled with the long-stroke design provides optimum torque throughout the RPM range.

And while conventional two-circuit carburettors go directly from a lean mixture at idle to a rich setting at full throttle, the BF15 adds a third, middle stage for better economy and smoother, stronger operation.

SIMPLE AND LIGHTWEIGHT

At under 50kg, the BF15 is super lightweight, allowing easy transport and convenient mounting to the hull.

It has a convenient long tiller handle for increased control and reduced steering effort. The extended handle is made of a lightweight composite for increased durability and weight reduction.

And with a built-in decompression release and Digital CDI system working together to set the ignition timing during start-up, just 60% of the normal effort is required to pull-start the engine by hand!

AND MORE...

Additional exhaust relief above the cavitation plate allows the prop to run in clean, exhaust-free water, producing more thrust.

On manual models, the BF15's Shallow Water Drive allows you to run in shallow water and greatly. And the Gas Assist function makes it easy to tilt the engine for running in shallow water, or raise it completely out of the water for protection. reduces the risk of engine damage.

Throw in an industry-leading 7 Year Warranty and 100 authorised Honda dealers located all around Australia, and it's never been easier to get your boat out onto the water.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@maitlandmarine.com.au

Website: https://www.maitlandmarine.com.au/

1-3 Elizabeth Street Maitland SA 5573

ENGINE

TYPE \|\pi\p4-stroke SOHC 2-cylinders / 4-valves

DISPLACEMENT [][]350cc

BORE & STROKE [[[]]59 x 64 mm

FULL THROTTLE RPM RANGE □□□4,500-5,500 RPM

RATED POWER □□□15HP @ 5,000 RPM

COOLING SYSTEM || || || || || Water Cooled

INDUCTION $\square \square \square 1$ carburettor

IGNITION SYSTEM ∏∏∏PGM-IG

STARTING SYSTEM □□□Recoil/Electric

EXHAUST [[[]]Through prop

ALTERNATOR [[]]12-Amp (electric) / 6-Amp (manual)

POWER TRIM & TILT □□□n/a

GAS-ASSISTED TILT [[[]]Available

TRIM RANGE □□□4-stage 8° - 12° - 16° - 20°

TILT RANGE □□□72°

SAFETY FEATURES

EMERGENCY STOP SWITCH □□□Standard

OIL PRESSURE ALERT □□□Stanadrd

TEMPERATURE ALERT □□□Standard

REV-LIMITER □□□Standard

SPEEDOMETER PICKUP DDDn/a

DRIVE

GEAR RATIO DD 2.08:1

GEAR SHIFT ∏∏∏F-N-R

PROPELLER □□□4-blade aluminium

DIAMETER X PITCH (S-TYPE) □□□9-1/4 x 10 inches

DIAMETER X PITCH (L-TYPE) □□□9-1/4 x 10 inches

DIAMETER X PITCH (X-TYPE) □□□n/a

DIMENSIONS

OVERALL LENGTH [][]650mm

OVERALL WIDTH [] 350mm

OVERALL HEIGHT (S-TYPE) □□□1,110mm

OVERALL HEIGHT (L-TYPE) [[] 1,240mm

OVERALL HEIGHT (X-TYPE) ∏∏∏n/a

TRANSOM HEIGHT (S-TYPE) □□□433mm

TRANSOM HEIGHT (L-TYPE) [[]563mm

TRANSOM HEIGHT (X-TYPE) [[]n/a

DRY WEIGHTS (S-TYPE) [[] 46.5kg

DRY WEIGHTS (L-TYPE) [[] 46.5kg

DRY WEIGHTS (X-TYPE) [[][]n/a

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: sales@maitlandmarine.com.au

Website: https://www.maitlandmarine.com.au/

1-3 Elizabeth Street Maitland SA 5573

Engine Details

Engine Make Horse Power Honda Marine

15