



BF20 (20HP OUTBOARD)

POA

Specifications

Boat Details

Price	POA
Model	20HP OUTBOARD
Year	2021
Hull Style	
Power Type	
Condition	New
Suburb	MAITLAND

Boat Brand	Honda
Length	0.00
Category	Boat Engines and Outboards
Hull Type	
Stock Number	
State	South Australia
Engine Make	Honda Marine

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

RELIABILITY IN A COMPACT DESIGN

With a high output 350cc displacement and long-stroke design, the BF20 is a top performer, providing optimum torque at any speed.

Programmed Ignition (PGM-IG) also accurately controls ignition timing during start-up and across the entire rev range for optimum overall operation. A 12amp (electric start) alternator also ensures excellent charging power to keep batteries in top condition.

Thanks to its incredibly lightweight design, the BF20 is also very easy to transport. A foldaway handle positioned at the exact balance point of the engine makes it easy to carry in a level position.

SUPERIOR HANDLING POWER

The BF20 is equipped with Power Tilt and Gas Assist Tilt variations - perfect for effortless engine tilt operations and shallow-water running.

Cruising is improved and more comfortable with Honda's unique pendulum-motion mounting system. This system is specially designed to reduce vibration and maximise user comfort.

A convenient Forward Mount Shift Lever allows fingertip shifting, while a Twist Grip Throttle and Tensioner ensures superior throttle friction, minimising driver fatigue.

FOUR-STROKE ENGINE DESIGN

Honda's world-renowned engineering combines proven reliability and superior fuel efficiency, with no oil mixing, resulting in a healthier experience for you and the environment.

And while conventional two-circuit carburettors go directly from a lean mixture at idle to a rich setting at full throttle, the BF20 adds a third, middle stage for better economy and smoother, stronger operation.

The BF20 also features an integrated warning system, designed to protect the engine from severe damage due to low oil, over-revving or overheating.

LONG-LASTING PERFORMANCE

A crankshaft-driven, automotive-style trochoid oil pump ensures the long-term durability of critical engine components.

Honda's patented 'double sealed' multi-layered paint process means that the BF20 is also protected from corrosion. Sacrificial anodes and stainless steel technology, along with waterproof connectors, all work together so you get the most out of your engine.

And with an industry leading 7 Year Warranty and 100 dealers located around Australia, no matter where your Honda BF20 takes you, you'll go there with peace of mind.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

ENGINE

TYPE 4-stroke SOHC 2-cylinders / 4-valves
DISPLACEMENT 350cc
BORE & STROKE 59 x 64 mm
FULL THROTTLE RPM RANGE 5,000-6,000 RPM
RATED POWER 20HP @ 5,500 RPM
COOLING SYSTEM Water Cooled
INDUCTION 1 carburetor
IGNITION SYSTEM PGM-IG
STARTING SYSTEM Recoil/Electric
EXHAUST Through prop
ALTERNATOR 12-Amp (electric) / 6-Amp (manual)
POWER TRIM & TILT Power tilt
GAS-ASSISTED TILT Available
TRIM RANGE 4-stage 8° - 12° - 16° - 20°
TILT RANGE 72°

SAFETY FEATURES

EMERGENCY STOP SWITCH Standard
OIL PRESSURE ALERT Standard
TEMPERATURE ALERT Standard
REV-LIMITER Standard
SPEEDOMETER PICKUP n/a

DRIVE

GEAR RATIO 2.08:1
GEAR SHIFT F-N-R
PROPELLER 4-blade aluminium
DIAMETER X PITCH (S-TYPE) 9-1/4 x 10 inches
DIAMETER X PITCH (L-TYPE) 9-1/4 x 10 inches
DIAMETER X PITCH (X-TYPE) 9-1/4 x 10 inches

DIMENSIONS

OVERALL LENGTH 650mm
OVERALL WIDTH 350mm
OVERALL HEIGHT (S-TYPE) 1,240mm
OVERALL HEIGHT (L-TYPE) 1,240mm
OVERALL HEIGHT (X-TYPE) 1,380mm
TRANSOM HEIGHT (S-TYPE) 433mm
TRANSOM HEIGHT (L-TYPE) 563mm
TRANSOM HEIGHT (X-TYPE) 703mm
DRY WEIGHTS (S-TYPE) 46.5kg
DRY WEIGHTS (L-TYPE) 46.5kg
DRY WEIGHTS (X-TYPE) 52kg

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 08 8832 2113

Email: sales@maitlandmarine.com.au

Website: <https://www.maitlandmarine.com.au/>

1-3 Elizabeth Street Maitland SA 5573

Engine Details

Engine Make

Honda Marine

Horse Power

20

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.