



BF30 (30HP OUTBOARD)

POA

Specifications

Boat Details

Price	POA	Boat Brand	Honda
Model	30HP OUTBOARD	Length	0.00
Year	2021	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type		Stock Number	
Condition	New	State	South Australia
Suburb	MAITLAND	Engine Make	Honda Marine

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

A BREATH OF FRESH AIR

Honda's BF30 boasts a host of innovative features, allowing you, your passengers, and the environment to breathe a little easier.

As 4-Stroke engines can run on regular unleaded petrol, there's no need to mix oil and petrol. As a result, even at idle there's no need to worry about unpleasant fumes that are common with inferior two-stroke engines.

On electric start models, the BF30's Auto Start Enrichment automatically adjusts the air/fuel mixture for quick, easy starting and warm-up - just like fuel injection.

VERSATILITY AND POWER

The BF30 is a compact and lightweight powerplant that combines Honda's world-renowned reliability with instant throttle response and extraordinarily smooth, stable and quiet operation.

This engine incorporates a number of user-friendly features that enable maximum on-water enjoyment, whether trolling in the shallows or motoring across open water.

With a compact three-cylinder, three-carburettor design utilising one carburettor per cylinder, the BF30 is more responsive than competitive throttle bodies with long intake runners.

CENTRE MOUNT TILLER

The ergonomically-designed tiller handle is longer for improved handling. Adjustments for throttle and steering friction allow easier control. Up front shift lever, PTT switch, and engine alert lamps provide added convenience.

The BF30 also features Dual Action Power Trim and Tilt. That means you'll get better hull manoeuvrability and performance with a Trim Range of -4° to +12° and a Tilt range of 67°.

And to keep your boat in top condition, a built-in pilot tube in the gear case eliminates the need to drill holes in your boat for installation.

THE LIST OF FEATURES GOES ON AND ON

For one, a patented 'double sealed' multilayered paint process, sacrificial anodes and stainless steel technology, along with waterproof connectors, all enhance corrosion protection.

A 3 Inlet Cooling System provides plenty of water to maintain optimum engine temperature in all conditions, and the Fresh Water Flushpoint flushes debris and saltwater out of the engine, extending the life of the outboard.

Of course, the BF30 is also simple to keep in ship shape. An easy 'screw-type' valve adjuster system requires no shims and reduces maintenance costs. The front-mounted oil filter and oil filler make for easy maintenance. Throw in a 5-Year, non-declining warranty and a network of 100 independent dealers around Australia, and you've got a package that you can rely on day in, day out.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

ENGINE

TYPE 4-stroke SOHC 3-cylinders / 6-valves
DISPLACEMENT 552cc
BORE & STROKE 61 x 63 mm
FULL THROTTLE RPM RANGE 5,000-6,000 RPM
RATED POWER 30HP @ 6,000 RPM
COOLING SYSTEM Water Cooled
INDUCTION 3 carburettors
IGNITION SYSTEM PGM-IG
STARTING SYSTEM Recoil / Electric
EXHAUST Through prop
ALTERNATOR 10-Amp (Electric) / 4-Amp (Manual)
POWER TRIM & TILT Available
GAS-ASSISTED TILT Available
TRIM RANGE -4° to +12°
TILT RANGE 64°

SAFETY FEATURES

EMERGENCY STOP SWITCH Standard
OIL PRESSURE ALERT Standard
TEMPERATURE ALERT Standard
REV-LIMITER Standard
SPEEDOMETER PICKUP Standard

DRIVE

GEAR RATIO 2.08:1
GEAR SHIFT F-N-R
PROPELLER 3-blade aluminium
DIAMETER X PITCH (S-TYPE) 9-1/4 x 12 inches
DIAMETER X PITCH (L-TYPE) 9-1/4 x 12 inches
DIAMETER X PITCH (X-TYPE) n/a

DIMENSIONS

OVERALL LENGTH 640mm
OVERALL WIDTH 375mm
OVERALL HEIGHT (S-TYPE) 1,195mm
OVERALL HEIGHT (L-TYPE) 1,320mm
OVERALL HEIGHT (X-TYPE) n/a
TRANSOM HEIGHT (S-TYPE) 431mm
TRANSOM HEIGHT (L-TYPE) 552mm
TRANSOM HEIGHT (X-TYPE) n/a
DRY WEIGHTS (L-TYPE) 72.5kg
DRY WEIGHTS (X-TYPE) 72.5kg

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 08 8832 2113

Email: sales@maitlandmarine.com.au

Website: <https://www.maitlandmarine.com.au/>

1-3 Elizabeth Street Maitland SA 5573

-
- -

Engine Details

Engine Make

Honda Marine

Horse Power

30

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.