



BF50 (50HP OUTBOARD)

POA

Specifications

Boat Details

Price	POA	Boat Brand	Honda
Model	50HP OUTBOARD	Length	0.00
Year	2021	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type		Stock Number	
Condition	New	State	South Australia
Suburb	MAITLAND	Engine Make	Honda Marine

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

UTIMATE PERFORMANCE

BLAST™, along with a specially-designed gear case and other improvements on the BF50 you are assured improved acceleration and higher top speed.

A quick movement of the throttle control activates the BLAST™ system, advancing the ignition curve aggressively. 'Hole shot' and acceleration are vastly improved as more horsepower gets the hull up on plane quicker.

As well as this, advanced ignition timing develops more horsepower at low revs. The acceleration from 0-50m is ridiculously strong!

OPERATIONAL PERFORMANCE AND RELIABILITY

A set of four warning lamps will alert you in the event of low oil pressure, overheating, charging malfunction, or PGM-FI electronic fuel injection system malfunction.

Designed to get you going faster, the high-performance gearcase reduces drag, reduces hull porpoising and minimises spray, while increasing acceleration and top speed. The waterproofing of the BF50's gear case has also been enhanced, with an optimised shift rod seal and other improvements.

And there's always plenty of electric power with the BF50. Honda's innovative technology enables this engine to output nearly twice as many charging amps as the competition's.

A WINNING DESIGN

A reduction gear is employed in the BF50 to achieve a compact engine layout by offsetting the in-line three-cylinder engine forward, while a long-branch plastic inlet manifold and miniaturised electronic components help give it a class-topping lightweight, compact design.

Like Honda's larger outboard engines, the BF50 features a striking 'wing form' design, showing off a slim, powerful look.

And when your BF50 needs a bit of maintenance, an easy 'screw-type' valve adjuster sytem requires no shims and reduces maintenance costs. Easyaccess side-mounted oil filter and oil filler makes keeping your engine in good shape a breeze.

LET'S NOT FORGET

The BF50 can be used with a wide range of boat types due to its lightweight compact design , and noise levels have been reduced by 1.0dB over Honda's previous model.

It's NMEA2000 compatible, meaning the BF50 can communicate with onboard electronicsto deliver a wide range of info to your head-unit displays.

And with its Programmed Electronic Fuel Injection, the BF50 delivers the precise amount of fuel/air to each cylinder.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

The result is easy starts and instant throttle response with superior fuel efficiency.

ENGINE

TYPE 4-stroke SOHC 3-cylinders / 6-valves

DISPLACEMENT 808cc

BORE & STROKE 70 x 70 mm

FULL THROTTLE RPM RANGE 5,500-6,000 RPM

RATED POWER 50HP @ 5,750 RPM

COOLING SYSTEM Water cooled

INDUCTION Programmed Fuel Injection (PGM-FI)

IGNITION SYSTEM Transistorised battery ignition

STARTING SYSTEM Electric

EXHAUST Through prop

ALTERNATOR 17-Amp

POWER TRIM & TILT Available

GAS-ASSISTED TILT Available

TRIM RANGE -4° to +16°

TILT RANGE 63°

SAFETY FEATURES

EMERGENCY STOP SWITCH Standard

OIL PRESSURE ALERT Standard

TEMPERATURE ALERT Standard

REV-LIMITER Standard

SPEEDOMETER PICKUP Standard

DRIVE

GEAR RATIO 2.08:1

GEAR SHIFT F-N-R

PROPELLER 3-Blade Aluminium

DIAMETER X PITCH (S-TYPE) n/a

DIAMETER X PITCH (L-TYPE) 11-1/4 x 13 Inches

DIAMETER X PITCH (X-TYPE) 11-3/4 x 10 Inches

DIMENSIONS

OVERALL LENGTH 694mm

OVERALL WIDTH 372mm

OVERALL HEIGHT (S-TYPE) n/a

OVERALL HEIGHT (L-TYPE) 1,364mm

OVERALL HEIGHT (X-TYPE) 1,465mm

TRANSOM HEIGHT (S-TYPE) n/a

TRANSOM HEIGHT (L-TYPE) 521mm

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 08 8832 2113
Email: sales@maitlandmarine.com.au
Website: <https://www.maitlandmarine.com.au/>
1-3 Elizabeth Street Maitland SA 5573

TRANSOM HEIGHT (X-TYPE) 662mm

DRY WEIGHTS (L-TYPE) 100kg

DRY WEIGHTS (X-TYPE) 102kg

Engine Details

Engine Make

Honda Marine

Horse Power

50

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.